

29/11/2025

To,
The Director (IA),
Ministry of Environment, Forests and Climate Change
Indira Paryavaran Bhavan,
Jorbagh Road
New Delhi - 110 003

Subject: Submission of half yearly 'Compliance Report' as stipulated in the Environmental Clearance, J-11015/1045/2007-IA. II (M) dated 22.04.2010, Govt. of India, MOEF, New Delhi for the period from April 2025 to September 2025 in respect of our 'Redi Iron Ore Mine', lease area 94.7060Ha., located at Village Redi, Taluka Vengurla, District Sindhudurg, State Maharashtra.

Reference: 'Environmental Clearance' vide letter vide letter No. J-11015/1045/2007-IA,II(M) dated 22.04.2010, issued by the Ministry of Environment and Forests, Government of India.

Dear Sir,

With reference to the above-mentioned Environmental Clearance, we are submitting herewith point-wise half yearly Compliance Report for the period from April 2025 to September 2025 with respect to our 'Redi Iron Ore Mine', lease area 94.7060 Ha., located at village Redi, Taluka Vengurla, District Sindhudurg, State Maharashtra, along with the necessary supporting documents.

The soft copy of the said EC compliance report has been sent electronically to the following email ids: -


1. Director, IA Division, MoEFCC, 'ms.mining2-mef@nic.in' and Monitoring cell – monitoring-ec@nic.in.

2. Regional office of the MoEFCC, Nagpur, 'apccfcentral-ngp-mef@gov.in'
3. Chairman, Maharashtra State Pollution Control Board, chairman@mpcb.gov.in and Sub-Regional Office, MPCB, Ratnagiri- sroratnagiri@mpcb.gov.in.
4. Chairman, Central Pollution Control Board ccb.cpcb@nic.in.

Thanking you,

Yours Faithfully,

For M/s Gogte Minerals


Pramod Sarode
Agent



Encl : As above

CC:

1. Additional Principal Chief Conservator of Forests (C), Ministry of Environment, Forest and Climate Change Regional Office (WCZ), Ground Floor, East Wing, New Secretariat Building, Civil Lines, Nagpur-440001.
2. Member Secretary, Central Pollution Control Board, Parivesh Bhavan, CBD-cum-office complex, East Arjun Nagar, New Delhi 110 032.
3. The Member Secretary, Maharashtra Pollution Control Board, Kalpataru Point, 2nd 3rd & 4th floor, Opp. Cine Planet, Near Sion Circle, Sion (E), Mumbai 400 022.
4. Sub-Regional Office, Central Administrative Building No. 2, 2nd Floor, Collectors Office Compound, Ratnagiri – 415612.

Half Yearly Compliance Report**2025****01 Dec(01 Apr - 30 Sep)****Acknowledgement**

Proposal Name	Redi Iron Ore Mine (area 94.7060 Ha)		
Name of Entity / Corporate Office	M/s. Gogte Minerals		
Village(s)	N/A		
District	SINDHUDURG		
Proposal No.	IA/MH/MIN/50361/2007	Category	Non-Coal Mining
Plot / Survey / Khasra No.	N/A	Sub-District	N/A
State	MAHARASHTRA	Entity's PAN	*****3663N
MoEF File No.	J-11015/1045/2007-IA. II(M)	Entity name as per PAN	GOGTE MINERALS

Compliance Reporting Details

Reporting Year	2025
Remarks (if any)	Submission of Half-Yearly Compliance Report Of The Conditions Stipulated In The Environmental Clearance (For the period from April 2025 to September 2025). Production mentioned below is for the F.Y. 2024-25.
Reporting Period	01 Dec(01 Apr - 30 Sep)

Details of Production and Project Area

Name of Entity / Corporate Office	M/s. Gogte Minerals	
	Project Area as per EC Granted	Actual Project Area in Possession
Private	94.7060	94.7060
Revenue Land	0	0
Forest	0	0
Others	0	0
Total	94.706	94.706

Production Capacity

Sr. no	Product Name	units	Valid Upto	Capacity	Production last year	Capacity as per CTO
1	Iron Ore	Million Tons per Annum (MTPA)	31/03/2029	0.368	0.36798946	0.368

Conditions

Specific Conditions

Sr.No.	Condition Type	Condition Details
1	LAND RECLAMATION	Topsoil shall be stacked properly with adequate protection measures at earmarked sites and used for reclamation and rehabilitation of the mined-out area.
<p>PPs Submission: Complied</p> <p>The lease area is already broken up and had more rock formation. As such there has been no topsoil generated post the grant of EC in the year 2010. Hence, there is no generation and no separate stacking of the Topsoil.</p>		<p>Date: 25/11/2025</p>
2	Statutory compliance	ii. The company shall comply with all the conditions stipulated vide communication no. MCZMA 2009/CR73/TC-3 dated 6.1.2010 from the Maharashtra Coastal Zone Management Authority.
<p>PPs Submission: Complied</p> <p>The clearance is obtained from the Maharashtra Coastal Zone Management Authority (MCZMA) vide its letter no. MCZMA 2009/CR73/TC-3, dated 06.01.2010 to carry out the mining activities in non-CRZ areas. We have complied with all the stipulated conditions in the said MCZMA clearance and submitted the compliance report to the MCZMA vide our letter dated 10.05.2010.</p>		<p>Date: 25/11/2025</p>
3	AIR QUALITY MONITORING AND PRESERVATION	iii. Fugitive Dust generation shall be controlled. Fugitive dust emission shall be regularly monitored at locations of nearest human habitation (including schools and other public amenities located nearest to sources of dust generation as applicable) and records submitted to the Ministry.
<p>PPs Submission: Complied</p> <p>Fugitive Dust generation in the Mine has been controlled, however the presence of high moisture content in ore and waste maintains strong adhesion and holds the particle together and controls the fugitive dust generation. Adequate measures for the control of fugitive emissions being undertaken are as given below: - 1. Drilling and blasting are replaced with ripper and dozer. 2. Fugitive dust emissions are controlled by regular water sprinkling on haul roads, loading, unloading points and on the road being used for mineral transportation. 3. We have introduced new sprinkler system - NEVIS Dust Suppression Systems, developed by NEVIS, based in Italy, for the air borne dust control, and which is used at mineral stacks, dumps, and haulage roads. The system is based on Water Mist Technology (WMT) - where it produces atomic water droplets which combine with airborne dust to help it settle. The system finds wide applications at places like mineral stacks, dumps and haulage roads. 4. State of Art of Machinery is used for the Mining operations and machinery is regularly maintained. 5. The water sprinkling arrangements along the haulage road are in place. 6. The black topped metallised roads are made wherever feasible. 7. The haulage and transport roads are regularly maintained. 8. The ore stacks are covered with Silpaulin to control the wind erosion. 9. Overloading of ore transport trucks is avoided to control the spillage of ore. The ore transportation trucks are covered with tarpaulin. 10. Inactive dumps are stabilized with plantation. The photographs showing all the Protective Measures are attached as Annexure 1. Comprehensive Air Quality Monitoring program has been adopted for the Regular monitoring of fugitive dust emissions as well the Ambient Air Quality. The monitoring stations within the Core Zone are selected for the fugitive dust emissions considering the sources of emissions, e.g., excavation, screening, hauling, loading and dumping activities. The monitoring stations within the buffer zone are placed at the human</p>		<p>Date: 28/11/2025</p>

<p>habitations and at the nearest Primary school. The environmental monitoring is carried out by the external agency which is also a MoEFCC recognized and NABL accredited laboratory. These monitoring reports are regularly submitted to the MPCB, CPCB and MoEFCC. The details of the monitoring stations are as below : - Core zone 1. FA1- Dumping site (North Eastern side of Mining Lease) 2. FA2 - Haulage/Transport road 3. FA3 - Near Mine Pit Edge 4. A1 - Core Zone Mine Office Buffer Zone (4 locations). - Ambient Air Quality Monitoring (representing Habitations and School) 1. A2 - Redi Village. 2. A3 - Shiroda Village. 3. A4 - Gaontala Village. 4. A5 - Kanyalwadi Village. Buffer Zone : Along the transportation road 5. A6 - Near NIMCO Gate - Tivrewadi, Redi village 6. A7 - Near Primary School - sakalbhatwadi Redi village The latest results of the Air Quality Monitoring for the period from April 2025 to September 2025 are enclosed under Annexure 2. The results of the fugitive emissions are within the permissible limits as per the prescribed standards as per the GSR 809(E) dated 04.10.2010, Environment Protection Rules 1986. The results of the Ambient Air Quality Monitoring show that all the parameters are well within the limits prescribed for NAAQ Standards 2009.</p>		
4	Statutory compliance	iv. Primary survey of flora and fauna shall be carried out and data shall be submitted to the Regional Office of the Ministry within six months.
<p>PPs Submission: Complied The Primary survey of flora and fauna was carried out and the report was submitted to the Ministry, as part of the Half Yearly Compliance Report submitted vide our letter dated 25.06.2011.</p>		Date: 25/11/2025
5	Statutory compliance	v. Conservation Plan for wildlife shall be prepared in consultation with the Chief Wild Life Warden and implemented. The plan shall consist of in build monitoring and evaluation mechanism. Necessary fund for implementation of the same shall be separately allocated and shall not be diverted for any other activity.
<p>PPs Submission: Complied The Conservation Plan for wildlife (Flora and Fauna) has been prepared in consultation with the Chief Wildlife Warden, Deputy Conservator of Forests (Dy.CF) (Wildlife) and has been implemented. The copy of the said Management Plan was submitted to the office of the DCF, Sawantwadi Division, District Sindhudurg, Maharashtra vide letter dated 04.08.2010 and was also submitted to the MoEF as part of the Half Yearly Compliance Report submitted vide our letter dated 25.06.2011. The Conservation plan consists of creation of green belt, raising of plantation over rejection dumps and avenue plantation in and around the Redi Iron Ore Mine. The said Management Plan also consists of Eco development activities, organic farming, raising of medicinal plantation and awareness generation. The mechanism for inbuilt monitoring of flora and fauna for the proper survival and establishment forms the part of the said Conservation Plan. The Management plan is being implemented in consultation with the Forest Department and the experts in biodiversity. The necessary funds are allocated for implementation of the Conservation Plan and is separately allocated and not diverted for any other activity. As stated in the management plan for conservation of wildlife (flora and fauna) duly submitted to the DFO, Sawantwadi, the plan is implemented by consulting the local forest and agriculture departments. We are regularly consulting with the officials of the forest and agricultural departments, to guide us on aftercare and survival of the plants.</p>		Date: 28/11/2025
6	Statutory compliance	vi. No two Pits shall be simultaneously worked. After exhausting the first mine pit and before starting mining operations in the next pit, reclamation and plantation works in the exhausted pit shall be completed so as to ensure that reclamation, forest cover and vegetation are visible during the first year of mining operations in the next pit. This process shall be followed till the last pit is exhausted. Adequate rehabilitation of mined pit shall be completed before any new ore body is worked.
<p>PPs Submission: Complied There are no two working pits within the Mining Lease. Pursuant to the grant of EC dated 22.04.2010, the Lessee has worked and continued to work only one pit, namely pit no. 203. As the mineral in the present working pit is not exhausted, the backfilling and reclamation of the pit cannot</p>		Date: 25/11/2025

<p>be done. There is an old pit (Maui Pit over 3.5 ha.) within the Mining Lease area which was worked prior to 1990. There are no operations in this old pit as this pit falls under the CRZ area and is located around 1 km away from the working pit. The said Maui pit is reclaimed and currently it is a water reservoir and water from this reservoir is used for irrigation by the villagers. Plantation has been undertaken on the periphery of the pit as well as on the benches to stabilize the said pit. At present, there are trees with an average age span of 18 to 20 years which itself reflects that mining has been suspended in the said pit for a long time. The photograph of the working pit and reclaimed non-working pit is attached as Annexure 3.</p>		
7	<p>WATER QUALITY MONITORING AND PRESERVATION</p>	<p>vii. The ground water quality shall be monitored regularly to check ingress of sea water by having observation wells around the ML area along the seacoast.</p>
<p>PPs Submission: Complied The Lessee has established 6 nos. of ground water quality monitoring stations. Out of these 6 stations, 3 stations are along the seacoast. The monitoring is being carried out as per the MoEFCC /CPCB guidelines and through the external MoEFCC recognized and NABL accredited laboratory, Mineral Engineering Services, Bellari. The copies of the latest Ground water and Surface Water Quality monitoring conducted during the month April 2025 to September 2025 is enclosed as Annexure 4. There is no ground water contamination or ingress of sea water is observed. The hydrogeological studies are conducted through the National Institute of Hydrology (NIH, under the Ministry of Jalshakti) and also through the CGWA accredited consultant. The recommendations laid in these studies are complied. As per the findings of the hydrogeological studies: - i. There is no sea water intrusion as observed through water quality parameters. ii. From the preliminary investigation it is found that there is no direct impact on water levels and groundwater quality due to mining. iii. The estimation of seawater intrusion using Ghyben-Herzberg formula indicated that there is no intrusion of seawater in the study area upto 400m to 500m. iv. From the conceptual modeling. It is understood that there is no threat of contamination under defined hydrological conditions. Thus, with all these technical studies and regular well water quality analysis reports, is concluded that there is no impact of mining activities on the ambient groundwater regime.</p>		<p>Date: 25/11/2025</p>
8	<p>WATER QUALITY MONITORING AND PRESERVATION</p>	<p>viii. Monitoring of surface and ground water quality within 5.0 KM of the lease shall be regularly conducted and records maintained, and data submitted to the regional office of the Ministry regularly. Further, monitoring point shall be located between the mine and drainage in the direction of flow of ground water and record maintained.</p>
<p>PPs Submission: Complied Regular monitoring of surface and ground water within 5 Km of lease area is conducted. The Lessee has established 6 nos. of ground water quality and 4 nos. of surface water quality monitoring stations. The selection of the monitoring station is done considering the mine and drainage in the direction of flow of ground water. Out of these 6 ground water locations and 4 surface water locations, 2 wells and 3 surface water sources are located between mine and drainage in the direction of the flow of ground water. Ground water and Surface Water Quality Monitoring reports conducted during from April 2025 to September 2025. The reports are regularly submitted to the MoEFCC, its Regional Office, Maharashtra Pollution Control Board and Central Pollution Control Board as a part of Half yearly EC Compliance. The copies of the latest Surface and Ground water Quality monitoring conducted from April 2025 to September 2025 is enclosed as Annexure 4. As per the analysis reports, the parameters are within the prescribed permissible limits.</p>		<p>Date: 28/11/2025</p>
9	<p>AIR QUALITY MONITORING AND PRESERVATION</p>	<p>ix. Data on ambient air quality (PM10, SO2, NOx) should be regularly submitted to the ministry including its Regional office located at Bangalore and the State Pollution Control Board /central pollution Control Board once in six months. The critical parameters such as PM10/PM2.5, NOx in the ambient air within the impact zone, peak particle velocity at 300m distance or within the nearest habitation, whichever is closer shall be monitored for water quality (TDS, DO, pH) and total suspended solids (TSS). The monitored data shall be uploaded on the website of the company as well as displayed on a display board at the project site at a suitable location near the</p>

		main gate of the company in public domain. The circular no.J-20012/1/2006-IA.II(M) dated 2.5.2009 issued by the Ministry shall also be referred in this regard for its compliance.
	<p>PPs Submission: Complied</p> <p>Ambient air quality data is monitored regularly by recognized environmental laboratory. The environmental monitoring reports are submitted to state pollution control board, Central pollution control board and regional office of MoEFCC in every six months as part of EC compliance reports. The monitoring stations are selected for the fugitive dust emissions considering the sources of emissions, e.g., excavation, dumping, hauling, loading, unloading and screening activities. The locations for Ambient Air Quality monitoring are selected considering the topography, meteorology and human settlements. The environmental monitoring is carried out by the external agency which is also a MoEFCC accredited laboratory. Environmental Monitoring data is displayed on a display board at mines site so as to be available for public view. Circular No. J-20012/1/2006-IA. II(M) dated 02.05.2009 issued by MoEFCC is also complied. Also, the monitored data is displayed on the website of the Company.</p>	Date: 25/11/2025
10	MINING PLAN	x. Trenches/garland drains shall be constructed at foot of dumps and coco filters installed at regular intervals to arrest silt from being carried to water bodies. Adequate number of check dams and gully plugs shall be constructed across seasonal/ perennial nallah (if any) flowing through the ML area and silts arrested. De-silting at regular intervals shall be carried out.
	<p>PPs Submission: Complied</p> <p>Well-developed drainage and silt retention system is developed. Garland Drains / trenches are constructed at the toe of the dumps, which are channelized to the Settling ponds. The coco filters are placed at places to trap the fine particles/silt. All the runoff from dumps as well as surface is channelized to the open pit through these drains and trenches. The mine is not worked in the monsoon period. Thus, pit acts as rain water harvesting structure during the monsoon. The accumulation of runoff water also provides adequate retention time to settle the silt material. Series of silt retention ponds are constructed wherein discharged water is treated by lime and flocculants-Magnafloc to accelerate the silt settling rate. These silt retention ponds are desilted before onset of the monsoon. Drainages are also cleaned and maintained properly. The record of the construction of such protective measures is maintained. The Photographs on Environmental Protective measures enclosed as, Annexure 1. An adequate number of check dams and gully plugs are constructed; the details are given in the compliance of condition no. xii. There are no seasonal/perennial nallah within the mining lease area.</p>	Date: 25/11/2025
11	WASTE MANAGEMENT	xii. Measures for prevention and control of soil erosion and management of silt shall be undertaken. Protection of dumps against erosion shall be carried out with geo textile matting or other suitable material, and thick plantations of native trees and shrubs shall be carried out at the dump slopes. Dumps shall be protected by retaining walls.
	<p>PPs Submission: Complied</p> <p>Mitigation measures for prevention and control of soil erosion and management of silt from the runoff water is taken up by providing trenches/garland drains of appropriate size, gradient, and length at foot of dumps. Series of silt retention ponds are constructed wherein discharged water is treated by lime and flocculants-Magna floc to accelerate the silt settling rate further, to control the wash-off retention walls, embankments are provided with the coco-filters to trap the fine particles/silt. Desilting of drains and settling ponds is done before the monsoon and at regular intervals. The matured dumps are appropriately vegetated to control the surface runoff. The dumps are initially covered with geotextiles and leguminous grass seeds are broadcasted over these dumps as to increase the soil fertility and to control the soil erosion. Grass seeds of <i>Styranthus hamata</i> are spread over these dead dumps covered with geotextile. At some places embankments of the dead dumps are planted with vetiver grass slips. a. Afforestation: - i. The Lessee has done plantation of 1,58,145 no. of saplings (till September-2025) over the dump slopes and old mining pits. There is well-grown thick plantation of mixed varieties of species on dump slopes covering the Fruit bearing species which includes Cashew, Mango, Tamarind, Jamun, Cocum, Guava, Awla, Badam and</p>	Date: 25/11/2025

forestry species includes Terminalia, Arjuna, Sawar, Moringa , Bamboo etc. During the period from April 2025 to September 2025 period about 10610 saplings have been planted covering the dumps and gap filling. The seeds of Stylanthus hamata have been used over the geotextile for the well stabilisation as well soil amendment. ii. The old and non-working pit (Mauli Pit) which falls under CRZ, which is well rehabilitated and stabilized with thickly grown plantation. The vegetation grown up here is approximately of 18-20 years of age as on today. The plants like Casuarina (Suru, Australian Acasia) though have established well with a good binding capacity and help to control soil erosion as well as improve the dump stability. iii. The aftercare including watering and manuring is regularly done for the survival of the plants. b. Application of Geotextile: - i. Application of Geotextile is practiced typically prior to the monsoon in this area as to stabilize the dead dumps and control the soil erosion due to rain water. ii. The dump slopes were covered with the Geotextile at different places. The approximate area covered under Geotextile is 4400 Sq. Meter during the period April 2025 to September 2025. The year wise display boards are placed on such sites, which were covered with Geotextile. iii. The leguminous grass seeds are broadcasted on geotextile cover for the stabilization. iv. At appropriate locations, the dump slopes within the Mining Lease are temporarily covered with silpaulin to control the soil erosion. v. The Mineral stacks are temporarily covered with Silpaulin to control the soil erosion. vi. Top benches in the eastern side of the Mining Pit is covered with Silpaulin to control the wash-off. C. Retaining Wall: - i. The well-built retaining wall of size 1m height and 1.5m width is constructed at the toe of the dump. The total length of retaining wall is 2.2Km. D. Garland drains: i. The garland drains are provided at the toe of the dumps and along the benches and haul roads. ii. Garland drains at appropriate places are covered with silpaulin to protect the soil erosion. iii. The length of the garland drains constructed at various locations within the Mine lease, put together is approximately 5000 m(April 2025 to September 2025) E. Check Dams: - i. The 2 no. of check dams along the trenches constructed at the toe of the dumps. F. Settling Ponds and Silt Arrestors: - i. 8 nos. of settling ponds with the total capacity of 11200, m3 constructed at mines. Some of the settling ponds have been protected with stone pitching with concrete. The series of silt arrestors are constructed next to the settling ponds. The coco filters are placed all along the silt arrestors to trap the fine particles. The photographs showing the plantation and other protective measures undertaken by the Lessee is enclosed as Annexure 1.

12

WATER QUALITY MONITORING AND PRESERVATION

xiii. Rain water harvesting shall be undertaken to recharge the ground water source. Status of implementation shall be submitted to the Ministry within six month

PPs Submission: Complied

Rain water harvesting has been undertaken to recharge the ground water source. Majority of the surface runoffs and dump runoffs are diverted to the open pit through drainages and trenches. The Pit itself acts as a big rain water harvesting structure. The accumulated water is used during the fair season by the villagers for the agriculture and other domestic purpose. As a part of continual improvement and as per recommendations in the hydrogeological report, we have planned and executed the Rain Water Harvesting considering the catchment area and in addition to this we have also undertaken the rooftop rain water harvesting. We have submitted the status of implementation on rain water harvesting to the Ministry within six months of grant of EC as a part of Half yearly EC compliance report dated 26.12.2010. The detailed report on Rain Water Harvesting structures implemented is enclosed as Annexure 5.

Date:
25/11/2025

13

Statutory compliance

xiv. Land use pattern of the nearby villages shall be studied, including identification of common property resources available for conservation into productive land. Action plan for abatement and compensation for damage to agriculture land / common property land (if any) in the nearby villages, due to mining activity shall be submitted to the Regional office of the ministry within six months before start of mining. Annual status of implementation of the plan and expenditure thereon shall be reported to the regional office of the ministry.

PPs Submission: Complied

The study on the land use pattern of the nearby villages was conducted and the Action Plan for abatement and compensation for damage to agriculture land/common property land due to mining activity to the Ministry is prepared and submitted vide letter dated 15.06.2011. As per the study, the nearest village is Redi Village, located at a distance of 500m from the Mining Lease. The crops

Date:
26/11/2025

generally grown in this village are cashew, coconut, mango, jack fruit and paddy. The crops here are seasonal and entirely depends on monsoon. Also, the horticulture plantations of cashew, coconut, mango in and around the Mining Lease depend on the irrigation provided by the Lessee. The rainwater harvested in the working pit and old Non-working pit during the monsoon is supplied to the farmers as per the requirement. The supply, repair and maintenance of the pipeline is entirely borne by the Lessee. The Lessee supply the water for irrigation purpose to the Redi Village covering Mhartalewadi, Nagaolewadi, Bombdojichiwadi Kanyalwadi, Tiwarewadi, Hudawadi etc. As on today, approximately, 350 Acre area is under irrigation provided by the Lessee. Lessee has provided the sprinklers system to the farmers in the Kanyal village on their request. The Annual status of implementation of the plan and expenditure for the Financial year 2024-25 is be reported to the regional office of the ministry vide our email dated 26.11.2025.

14

MISCELLANEOUS

xv. Need based assessment for the nearby villages shall be conducted to study economic measures which can help in upliftment of poor sections of the area. Income generating projects consistent with the traditional skills of the people besides development of fodder farm, fruit bearing orchards, vocational training etc. can form a part of such programme. Company shall provide separate budget for community development activities and income generating programmes. This will be in addition to vocational training for individuals imparted to take up self- employment and jobs.

PPs Submission: Complied

Need based assessment of nearest two villages is conducted to study economic measures which can help in upliftment of poor section of society was undertaken. The copy of the said report was submitted as part of Half Yearly EC compliance report dated 25.06.2011. Computer Literacy being the need of the hour and to educate the village youth (unemployed, the school dropouts and the housewives), the Computer Training Centers is being run at Redi Village by the Company and 796 villagers got benefit and have been trained in MS-CIT program. The teacher appointed here to train the students is native of the Redi Village. Besides, we have hired the place for the Training center in Redi Village, thereby generating earnings to the villager. Assistance given to school students by providing uniforms, school bags, notebooks etc. The Lessee extended financial support to construct and establish infrastructure to a local college in the village Shiroda. Like, Computer Training Institute, we have also started the Music school to boost the interest of the youths in Indian Music. Tabla and Harmonium playing is being taught to the students here free of cost. Till date 100 villagers got benefitted with our training classes. The Music teacher appointed is also the resident of the Redi Village. On understanding the need of the students in the village a teacher is engaged who gives the lessons to the needy students in the subjects like Maths and Science and more than 300 students get benefit with this training. The dedicated doctor is appointed in the Redi Village and free medicines are given. The ambulance is in service of the villagers 24X7. Water as a lifeline and understanding the need of the hour we have completed one Water Supply Project dedicated to the village of Redi with the construction of a Reverse Osmosis water treatment plant; with the delivery capacity of 12,00,000 litres of water per day. The plant in the Shree Devi Mauli Water Supply Scheme, named after the local goddess. The scheme supply water to 1500 houses in the village of Redi. The entire cost of the water treatment is borne by the lessee. We supply the water to the villagers for agriculture purpose and we cover about 350-acre land under irrigation including the nearby villages like Mhartalewadi, Kanyalwadi and Gavantalewadi. Paddy, Chilies and Coconut, Areca nut, Mango plantation survive with our water supply. Many villagers are farming the fallow land with the availability of water made by the Company. The details on CSR activities undertaken and expenditure incurred towards it is enclosed under Annexure 6. Complied

Date:
28/11/2025

15

MISCELLANEOUS

xvi. Maintenance of village roads through which transportation of ore are undertaken shall be carried out by the company regularly at its own expenses. The roads shall be black topped

PPs Submission: Complied

The company regularly maintains the village roads used for the transportation of ore.

Date:
25/11/2025

16

Human Health Environment

xvii. Occupational health and safety measures for the workers including identification of work-related health hazards, training on

		<p>malaria eradication, HIV and health effects on exposure to mineral dust etc. shall be carried out. The company shall engage a full-time qualified doctor who is trained in occupational health. Periodic monitoring for exposure to respirable minerals dust on the workers shall be conducted and records maintained including health records of the workers. Awareness programme for workers on impact of mining on their health and precautionary measures like use of personal equipment etc. shall be carried out periodically. Review of impact of various health measures undertaken (at interval of five years or less) shall be conducted followed by follow up action wherever required.</p>
	<p>PPs Submission: Complied</p> <p>A well implemented Risk Management Plan is in place to identify possible sources of dangers that may affect the Health and Safety of persons employed in the mine, and also to take precautions against the dangers in a proactive manner. Awareness training on malaria eradication, HIV and training with respect to safety precautions against Health Hazards are provided at VTC constituted under Mines Vocational Training Rules 1966. To further enhance health and safety measures, the company has established a dispensary in close proximity to the mine site. A qualified Doctor is stationed at this dispensary, ensuring round-the-clock availability for medical treatment. Mine workers receive regular health check-ups at this dispensary, which are conducted by the appointed doctor. In addition, health camps are organized in nearby villages. Workers are sent for initial and periodic medical examinations according to Rule 29(B) of the Mines Rules, 1955 and undergo periodic monitoring for exposure to respirable mineral dust, among other hazards. Records, including the health data of the workers, are maintained. The impact of health measures is reviewed every five years for workers under 45 years old and every three years for those over 45. Follow-up actions are taken by trained doctors in Occupational Health Surveillance Training and Awareness programs. These programs cover topics such as the impact of mining on health and the necessary precautions workers should take while on the job. They also include first aid training and the use of personal protective equipment (PPE), such as ear plugs, dust masks, and goggles. PPE is provided to the mine workers to ensure their safety.</p>	<p>Date: 25/11/2025</p>
17	Human Health Environment	<p>xviii. Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transportation of ores and others shall have valid permissions under Central Motor Vehicle Rules, 1989 and its amendment. The number of shift of mine operations could be as prescribed in the approved mining plan. However, the number of shifts or hours permissible for external vehicular traffic shall not exceed the limit in vogue for the area under consideration or in the event of passage through forest roads or public places, as may be applicable in this case. The limits prescribed by the local authorities shall not be exceeded. If no such guidelines for time restrictions are applicable, then external transport shall be preferably confined to two shifts.</p>
	<p>PPs Submission: Complied</p> <p>The vehicular emission is kept under control by regular maintenance of the vehicles. and is regularly monitored. Vehicles used for transportation of ores and others have valid PUC certificate as prescribed under Central Motor Vehicle Rules,1989 and its amendment. Mine operation is as per the approved mining plan of Indian Bureau of Mines. The transportation of ore is done only during daytime. The trucks transport ore are covered with Tarpaulin so that no dust/fine particles escape during the transportation. No overloading of transportation of trucks is allowed. Speed limits are adhered to these vehicles and the transport roads are maintained properly. The trucks transporting ore do not pass through any wild life sanctuary or forest.</p>	<p>Date: 26/11/2025</p>
18	GREENBELT	<p>xix. Green belt development and selection of plant species shall be as per CPCB guidelines. Herbs and shrubs shall also form a part of afforestation programme besides tree plantation. Details of year wise afforestation programme including rehabilitation of mined out area shall be submitted to the Ministry within six months.</p>

<p>PPs Submission: Complied</p> <p>Plantation is carried out as per CPCB guidelines. All plantation activities are taken during monsoon period only. The local species including fruit bearing species are given more preference in plantation program. Sustained scientific post plantation care such as regular manuring and other improvised practices will be adopted for maximum survival of the plant. i. The Lessee has done 1,58,145 no. of saplings (till September-2025) over the dump slopes and old mining pits. There is well-grown thick plantation of mixed varieties of species on dump slopes covering the Fruit bearing species which includes Cashew, Mango, Tamarind, Jamun, Cocum, Guava, Awla, Badam and forestry species includes Terminalia, Arjuna, Sawar, Moringa, Bamboo etc. During April 2025 to September 2025 period 10610 saplings have been planted covering the dumps and gap filling. The seeds of Stylanthus hamata have been used over the geotextile for the well stabilisation as well soil amendment. ii. The old mine pit (Mauli Pit) which falls under CRZ is covered with well grown and thick plantation along its periphery composed of Terminalia, Casurina, Bheni, Tamrind and Acacia and has been kept as water reservoir. Considering the overall growth and the maximum height attained by the trees of 25-30m, it is understood that the tree cover is of the age of almost 19 to 21 yrs old. The details on plantation are regularly submitted to MOEFCC, its regional office and also to the Maharashtra State Pollution Control Board as a part of EC compliance, enclosed under Annexure 7.</p>		<p>Date: 25/11/2025</p>
---	--	-----------------------------

19	Human Health Environment	Provision shall be made for housing the labourers within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche, etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
----	--------------------------	---

<p>PPs Submission: Complied</p> <p>Most of the employees are from local village only and hence no need for accommodation facilities. However, we have provided few bachelors accommodation (infrastructure) within the Mining Lease with canteen facility, toilets, safe drinking water and medical health care.</p>		<p>Date: 25/11/2025</p>
---	--	-----------------------------

20	WASTE MANAGEMENT	xi. The company shall ensure that no silt originating due to mining activity is transported in the surface water course (if any) flowing in the area. Proper drainage of the waste dump shall be provided to prevent siltation of downstream water bodies. The dumps per se shall be drained and surface of the dump should be properly vegetated.
----	------------------	--

<p>PPs Submission: Complied</p> <p>There is no surface water body within the Mining Lease area. Mitigation measures for prevention and control of soil erosion and management of silt from the runoff water is taken up by providing trenches/garland drains of appropriate size, gradient, and length at foot of dumps. Series of silt retention ponds are constructed wherein discharged water is treated by lime and flocculants- Magnafloc to accelerate the silt settling rate, further, to control the wash-off retention walls, embankments are provided with the coco filters to trap the fine particles/silt. Desilting of drains and settling ponds is done before the monsoon and at regular intervals. The matured dumps are appropriately vegetated to control the surface runoff. The dumps are initially covered with geotextiles and leguminous grass seeds are broadcasted over these dumps as to increase the soil fertility and to control the soil erosion. Thus, stabilized dumps are further brought under plantation with local species. During the period April 2025 to September 2025, the total number of plantations were done is 10610. The Photographs on Environmental Protective measures enclosed as Annexure-1.</p>		<p>Date: 25/11/2025</p>
---	--	-----------------------------

General Conditions

Sr.No.	Condition Type	Condition Details
1	MINING PLAN	i. No change in mining technology and scope of working shall be made without prior approval of the MOEF.

<p>PPs Submission: Complied</p>		<p>Date:</p>
--	--	--------------

No change in Mining technology and scope of working will be made without prior approval of MOEF.		25/11/2025
2	MINING PLAN	ii. No change in the calendar Plan including excavation, quantum of mineral and waste shall be made.
PPs Submission: Complied No change in calendar plan including excavation, quantum of mineral and waste will be made. The Mining activities are carried out as per the approved Modified Mining Plan.		Date: 25/11/2025
3	MINING PLAN	iii. Fugitive dust emissions from all the sources shall be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points shall be provided & properly maintained.
PPs Submission: Complied Fugitive dust emissions are controlled by regular water sprinkling on haul roads, loading, unloading points and transportation of minerals, etc. For the dust suppression three water tankers having 8KL capacity are engaged and such provision are provided and properly maintained on a regular basis. We also use NEVIS Dust Suppression Systems, developed by Nevis, based in Italy, for the air borne dust control, and which is used at mineral stacks, dumps, and haulage roads. The system is based on Water Mist Technology (WMT) - where it produces atomic water drops which combine with airborne dust to help it settle. Overloading of ore transport trucks is avoided to prevent spillage of ore on the roads. Fugitive dust emissions are regularly monitored.		Date: 25/11/2025
4	AIR QUALITY MONITORING AND PRESERVATION	iv. Four Ambient air quality stations shall be established in the core zone as well as in the buffer zone for PM10, SO2, NOX monitoring. Locations of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the state Pollution Control Board.
PPs Submission: Complied Ambient air quality monitoring is carried out as per the MoEFCC/CPCB guidelines and results are compared with the NAAQ Standards. Total 8 no. of ambient air quality monitoring stations-4 numbers of stations in core and 4 numbers of stations in buffer zone (10 KM radius area taking mining lease as center) are selected in consultation with State Pollution Control Board considering the meteorological data, topographical features and environmental and ecological sensitive targets like nearest human habitations and primary school located near to the Mining Lease. Parameters selected for monitoring are as per the NAAQ standards. All the locations of these monitoring stations are based on meteorological data and topographical features of the area. The frequency of monitoring undertaken is in consultation with the State Pollution Control Board.		Date: 25/11/2025
5	Noise Monitoring & Prevention	v. Measures shall be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operations of HEMM etc. shall be provided with ear plugs/muffs.
PPs Submission: Complied To check the noise level during operations of heavy earth moving machinery, noise level monitoring is carried out in both idle and working conditions of the machinery. All the measures are taken to keep the noise level below 85 dBA in the work environment. Workers and Operators engaged in operations of Heavy Earth Moving Machinery are provided with ear plugs / muffs. Reports are attached as Annexure -13.		Date: 25/11/2025
6	WASTE MANAGEMENT	vi. Industrial waste water (workshop and waste water from the mine) should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May 1993 and 31st Dec, 1993 or as amended from time to time. Oil and grease trap shall be installed before discharge of workshop effluent.

<p>PPs Submission: Complied</p> <p>There is no waste water generation in lease area. The monsoon water from the dumps and other areas is channelized into the pit. This accumulated water is discharged out and made to pass through series of settling ponds and drainage channels. Lime is added to increase the silt-settling rate. Also, the walls of the retaining walls are lined with coco filter which traps the fine particles from the water. This results into a clear water discharge. Water quality monitoring is carried out as per the MoEF / CPCB guidelines. It is ensured that the Discharged pit water meets the standard as per GSR 422(E) dated 19th May, 1993 and 31st December 1993 or as amended from time to time. The Oil and Grease trap, also termed as Eco-tank is constructed wherein the wash water from the washing ramp of the machinery is treated and recycled for the washing purpose. The Photograph of the Eco-tank in operation are enclosed as Annexure 8. Used oil is collected and stored separately and is sold to registered / authorized recyclers.</p>		<p>Date: 28/11/2025</p>
7	Human Health Environment	vii. Personnel working in dusty area shall be provided with protective respiratory devices and they shall also be imparted adequate training and information on safety and health aspects
<p>PPs Submission: Complied</p> <p>All necessary Personal Protective Equipment (PPE) such as safety shoes, safety helmets, dust masks, ear plugs, fluorescent jackets, lifeguards, safety goggles, safety gloves, etc. are provided to the workers employed in the Mine as per the Mines Act, 1952. Personal Dust Sample Survey as per the Directorate General of Mines Safety (DGMS) guidelines is carried out and the results are found well within the limits as per the DGMS standards. The recent reports of the Personal Dust Survey conducted for the month of May-2025 have been enclosed as Annexure-9. It should be considered that in the said area humidity is high being the coastal proximity. Therefore, there is no as such dust generated during the Mining activities as the working is carried out below the water table and high moisture content of the ore as well as rejection.</p>		<p>Date: 25/11/2025</p>
8	Statutory compliance	viii. A separate Environmental Management Cell with suitable qualified personnel shall be set-up under the control of a Senior Executive, who will report directly to the head of the organisation.
<p>PPs Submission: Complied</p> <p>A separate Environment Management Cell, with qualified environment persons is formed under the control of head of the organization. Meetings are conducted periodically in which the environmental issues are discussed, reviewed and addressed. The detailed environmental cell chart detailing the qualifications of the executives is laid down and enclosed under the Annexure 10.</p>		<p>Date: 25/11/2025</p>
9	Statutory compliance	xiv. The project proponent shall advertise in at least two local newspapers widely circulated in the region around the project, one of which shall be in the vernacular language of the locality/office of the Municipal Corporation/Gram Panchayat concerned and on the company's website within seven days from the date of this clearance letter, informed that the project has been accorded environmental clearance and copies of clearance letter are available with the state pollution Control Board/committee and may also be seen at website of the MOEF at http://envfor.nic.in
<p>PPs Submission: Complied</p> <p>The Project Authorities have advertised in two widely circulated local newspaper, in vernacular language (Marathi)- Sindhudurg Samachar on 11th May, 2010 and in daily Tarun Bharat on 11th May, 2010 informing that the Project is been granted the environmental clearance within seven days from the date of grant of clearance. Copies of the advertisement are already submitted to the Ministry as a part of the Half Yearly Compliance report. Copy of the Environmental Clearance letter is also available with the Maharashtra State Pollution Control Board and also on the website of the MoEF, i.e., www.envfor.nic.in.</p>		<p>Date: 28/11/2025</p>
10	Statutory compliance	xv. A copy of clearance letter will be marked to concerned Panchayat / local NGO, if any, from whom suggestion / representation has been received while processing the proposal. The

		clearance letter shall also be put on the website of the company.
PPs Submission: Complied A copy of clearance letter is marked to Redi Village Panchayat.		Date: 25/11/2025
11	MISCELLANEOUS	xvi. State pollution control board shall display a copy of the clearance letter at the Regional office, District Industrial center and collector's office / Tahsildar office for 30 days.
PPs Submission: Complied This is under the jurisdiction of the Maharashtra State Pollution Control Board and action is taken by the Maharashtra State Pollution Control Board.		Date: 25/11/2025
12	Statutory compliance	xvii. The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the state pollution control board as prescribed under the Environmental (Protection) Rules, 1986 as amended subsequently and shall also be put on the website of the company along with the status of compliance of environmental clearance conditions. The same shall also be sent to the Regional Office of the Ministry by e-mail.
PPs Submission: Complied Environmental Statement in Form-V for the financial year is regularly submitted to the Maharashtra State Pollution Control Board and the copy of the same is submitted to the MoEF time to time. The copy of the recent Environmental Statement for the financial year 2024-25 is submitted online to the Maharashtra State Pollution Control Board and the copy is enclosed under Annexure-12. Copy of the Environmental Statement is forwarded to Regional Office MoEFCC , Nagpur as a part of half yearly EC Compliance Report by e-mail.		Date: 25/11/2025
13	Corporate Environmental Responsibility	x. The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year-wise expenditure shall be reported to the ministry and its regional office located at Bangalore.
PPs Submission: Complied The funds earmarked for environmental protection measures are kept in separate account and not diverted for other purposes. The year wise Expenditure incurred towards the protection of the environment is reported to the MoEFCC and its regional office as a part of Half Yearly EC Compliance report time to time. The copy of the statement on expenditure towards the environmental protection for the present compliance period, i.e., from 1st April 2025 to 30th September 2025 is enclosed under Annexure 11.		Date: 29/11/2025
14	Statutory compliance	xii. The regional office of the ministry located at Bangalore shall monitor compliance of the stipulated conditions. The project authorities shall extend full cooperation to the officers of the regional office by furnishing the requisite data / information / monitoring reports.
PPs Submission: Complied The said mine is being monitored by the Regional Office, Bhopal (now it is Nagpur). We extend full cooperation to the officer(s) of the Regional Office by furnishing the requisite data / information / monitoring reports. The Mine was inspected in the recent past by the Scientist D, Regional Office, MoEFCC, Nagpur, on 18.02.2020. We have provided all the relevant data/information and monitoring reports to the Authority during their visits.		Date: 29/11/2025
15	Statutory compliance	ix. The project authorities shall inform to the Regional Office of the ministry located at Bangalore regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.

<p>PPs Submission: Complied Mining operation commenced from July 2010 and the same has been intimated to the then regional office located at Bhopal. Funds for the project were utilized from internal sources only.</p>		<p>Date: 29/11/2025</p>
16	Statutory compliance	xi. The project authorities shall inform to the regional Office of the ministry located at Bangalore regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.
<p>PPs Submission: Complied Mining operation commenced from July 2010 and the same has been intimated to the then regional office of MoEFCC, located at Bhopal. Funds for the project were utilized from internal sources only.</p>		<p>Date: 29/11/2025</p>
17	Statutory compliance	xiii. The project proponent shall submit six monthly report on the status of the implementation of the stipulated environmental safeguards to the MOEF, its regional office Bangalore, CPCB and State Pollution Control Board. The project proponent shall upload the status of compliance of the Environment clearance condition on their website and upload the same periodically and simultaneously send by e-mail to the regional office of MoEF Bangalore.
<p>PPs Submission: Complied The Project Proponent submit six monthly report on the status of the implementation of the stipulated environmental safeguards as a part of the Half yearly EC compliance Report to the MOEF, its regional office Bhopal (now it is Nagpur), CPCB and Maharashtra State Pollution Control Board time to time. The soft copy of the said report is sent to the regional office of MoEFCC Bhopal (now it is Nagpur) by e mail. The last half yearly Compliance report was submitted to the MoEFCC, New Delhi and its Regional Office, Nagpur, vide email dated 29/05/2025 for the period from October 2024 to March 2025.</p>		<p>Date: 29/11/2025</p>
Visit Remarks		
Last Site Visit Report Date:		N/A
Additional Remarks:		
<p>Note: This acknowledgement is as per the details submitted by project proponent. In no way is this document to be considered as conclusion on any action on the compliance of the project. This is strictly for the project proponent's reference purpose.</p>		