

27/05/2025

To,  
The Director (IA),  
Ministry of Environment, Forests and Climate Change  
Indira Paryavaran Bhavan,  
Jorbagh Road  
New Delhi - 110 003

Subject: Submission of half yearly 'Compliance Report' as stipulated in the Environmental Clearance, J-11015/1045/2007-IA. II (M) dated 22.04.2010, Govt. of India, MOEF, New Delhi for the period from October 2024 to March 2025 in respect of our 'Redi Iron Ore Mine', lease area 94.7060Ha., located at Village Redi, Taluka Vengurla, District Sindhudurg, State Maharashtra.

Reference: 'Environmental Clearance' vide letter vide letter No. I-11015/1045/2007-IA, II (M) dated 22.04.2010, issued by the Ministry of Environment and Forests, Government of India.

Dear Sir,

With reference to the above-mentioned Environmental Clearance, we are submitting herewith point-wise half yearly Compliance Report for the period from October 2024 to March 2025 with respect to our 'Redi Iron Ore Mine', lease area 94.7060 Ha., located at village Redi, Taluka Vengurla, District Sindhudurg, State Maharashtra, along with the necessary supporting documents.

The soft copy of the said EC compliance report has been sent electronically to the following email ids: -

1. Director, IA Division, MoEFCC, '[ms.mining2-mef@nic.in](mailto:ms.mining2-mef@nic.in)' and Monitoring cell - '[monitoring-ec@nic.in](mailto:monitoring-ec@nic.in)'.

2. Regional office of the MoEFCC, Nagpur, '[apccfcentral-ngp-mef@gov.in](mailto:apccfcentral-ngp-mef@gov.in)'
3. Chairman, Maharashtra State Pollution Control Board, [chairman@mpcb.gov.in](mailto:chairman@mpcb.gov.in) and Sub-Regional Office, MPCB, Ratnagiri- [sroratnagiri@mpcb.gov.in](mailto:sroratnagiri@mpcb.gov.in).
4. Chairman, Central Pollution Control Board [ccb.cpcb@nic.in](mailto:ccb.cpcb@nic.in).

Thanking you,

Yours Faithfully,

For M/s Gogte Minerals



P. Sreenivasarao

Mines Manager

Encl : As above

CC:

1. Additional Principal Chief Conservator of Forests (C), Ministry of Environment, Forest and Climate Change Regional Office (WCZ), Ground Floor, East Wing, New Secretariat Building, Civil Lines, Nagpur-440001.
2. Member Secretary, Central Pollution Control Board, Parivesh Bhavan, CBD-cum-office complex, East Arjun Nagar, New Delhi 110 032.
3. The Member Secretary, Maharashtra Pollution Control Board, Kalpataru Point, 2nd 3rd & 4th floor, Opp. Cine Planet, Near Sion Circle, Sion (E), Mumbai 400 022.
4. Sub-Regional Office, Central Administrative Building No. 2, 2nd Floor, Collectors Office Compound, Ratnagiri – 415612.

Your (**Half Yearly Compliance Report**) has been **Submitted** with following details

<b>Proposal No</b>	IA/MH/MIN/50361/2007
<b>Compliance ID</b>	123760319
<b>Compliance Number(For Tracking)</b>	EC/M/COMPLIANCE/123760319/2025
<b>Reporting Year</b>	2025
<b>Reporting Period</b>	01 Jun(01 Oct - 31 Mar)
<b>Submission Date</b>	29-05-2025
<b>RO/SRO Name</b>	Shri Senthil Kumar Sampath
<b>RO/SRO Email</b>	agmu156@ifs.nic.in
<b>State</b>	MAHARASHTRA
<b>RO/SRO Office Address</b>	Integrated Regional Offices, Nagpur

**Note:-** SMS and E-Mail has been sent to Shri Senthil Kumar Sampath, MAHARASHTRA with Notification to Project Proponent.

[Back](#)

## View Half Yearly Compliance Report at Project Proponent

## Proposal Details

Proposal No	IA/MH/MIN/50361/2007	Category	Non-Coal Mining		
Name of Project	Redi Iron Ore Mine (area 94.7060 Ha)				
Plot / Survey/ Khasra No.		Village(s)		Sub-District(s)	
State	MAHARASHTRA	District	SINDHUDURG		
MoEF File No	J-11015/1045/2007-IA, II (M)	Name of the Entity/ Corporate Office	M/s. Gogte Minerals	Entity's PAN	*****3663N
Entity Name as per PAN	GOGTE MINERALS	Entity details mentioned above is correct ?	Agree		

## Covering Letter

Covering Letter

[Click to View](#)

## Compliance Reporting Details

Reporting Year	2025	Reporting Period	01 Jun(01 Oct - 31 Mar)
Remark(if any)	Submission of Half-Yearly Compliance Report Of The Conditions Stipulated in The Environmental Clearance (For the period from October 2024 to March 2025). Production mentioned below is for the F.Y. 2024-25.		

## Details of Production and Project Area

Date of Commencement of  
Project/Activity

01-07-2010

	Project Area as per EC Granted(ha.)	Actual Project Area in Possession(ha.)
Private	94.7060	94.7060
Revenue Land	0	0
Forest	0	0
Others	0	0
Total	94.706	94.706

Land Documents

NA

Sr.No.	Name of the Product	Units	As per EC Granted	As per CTO Granted	CTO ID	Valid Up To	Production during last financial year
1	Iron Ore	Million Tons per Annum (MTPA)	0.368	0.368	Format1.0/APAE Section/UAN No.MPCBCONSENT- 0000193450/CR/2403001465	31-03- 2029	0.36798946

## Conditions

## Specific Conditions

Sr.No.	Condition Heading	Condition Details	Status of Compliance.Remarks / Reason and Supporting Documents	
1	LAND RECLAMATION	Topsoil shall be stacked properly with adequate protection measures at earmarked sites and used for reclamation and rehabilitation of the mined-out area.	PPs Submission	The lease area is already broken up and had more rock formation. As such there has been no topsoil generated post the grant of EC in the year 2010. Hence, there is no generation and no separate stacking of the Topsoil. Complied 13-05-2025 Attachment:NA
2	Statutory compliance	ii. The company shall comply with all the conditions stipulated vide communication no. MCZMA 2009/CR73/TC-3 dated 6.1.2010 from the Maharashtra Coastal Zone Management Authority.	PPs Submission	The clearance is obtained from the Maharashtra Coastal Zone Management Authority (MCZMA) vide its letter no. MCZMA 2009/CR73/TC-3, dated 06.01.2010 to carry out the mining activities in non-CRZ areas. We have complied with all the stipulated conditions in the said MCZMA clearance and submitted the compliance report to the MCZMA vide our letter dated 10.05.2010. Complied 13-05-2025 Attachment:NA
3	AIR QUALITY MONITORING AND PRESERVATION	iii. Fugitive Dust generation shall be controlled. Fugitive dust emission shall be regularly monitored at locations of nearest human habitation (including schools and other public amenities located nearest to sources of dust generation as applicable) and records submitted to the Ministry.	PPs Submission	The likely sources of fugitive dust generations are Loading-Unloading, Screening, and Crushing and Transportation of Mineral Ore and waste. However, the presence of high moisture content in ore and waste maintains strong adhesion and holds the particle together and controls the fugitive dust generation. Adequate measures for the control of fugitive emissions being undertaken are as given below: 1. Drilling and blasting are replaced with ripper and dozer. 2. Fugitive dust emissions are controlled by regular water sprinkling on haul roads, loading, unloading points and on the road being used for mineral transportation. Daily about 200 m3 of water is used for dust suppression. 3. We have introduced new sprinkler system- NEVIS Dust Suppression Systems, developed by NEVIS, based in Italy, for the air borne dust control, and which is used at mineral stacks, dumps, and haulage roads. The system is based on Water Mist Technology (WMT) - where it produces atomic water droplets which combine with airborne dust to help it settle. The system finds wide applications at places like mineral stacks, dumps and haulage roads. 4. State of Art of Machinery is used for the Mining operations and machinery is regularly maintained. 5. The water sprinkling arrangements along the haulage road are in place. 6. The black topped metalled roads are made wherever feasible. 7. The haulage and transport



				<p>roads are regularly maintained. 8. The ore stacks are covered with Silpaulin to control the wind erosion. 9. Overloading of ore transport trucks is avoided to control the spillage of ore. The ore transportation trucks are covered with tarpaulin. 10. Inactive dumps are stabilized with plantation. The photographs showing all the Protective Measures are attached as Annexure 1. Comprehensive Air Quality Monitoring program has been adopted for the Regular monitoring of fugitive dust emissions as well the Ambient Air Quality. The monitoring stations within the Core Zone are selected for the fugitive dust emissions considering the sources of emissions, e.g., excavation, screening, hauling, loading and dumping activities. The monitoring stations within the buffer zone are placed at the human habitations and at the nearest Primary school. The environmental monitoring is carried out by the external agency which is also a MoEFCC recognized and NABL accredited laboratory. These monitoring reports are regularly submitted to the MPCB, CPCB and MoEFCC. The details of the monitoring stations are as below :- Core zone 1. FA1- Dumping site (North Eastern side of Mining Lease) 2. FA2 - Haulage/Transport road 3. FA3 - Near Mine Pit Edge 4. A1 - Core Zone Mine Office Buffer Zone (4 locations). - Ambient Air Quality Monitoring (representing Habitations and School ) 1. A2 - Redi Village. 2. A3 - Shiroda Village. 3. A4 - Goontala Village. 4. A5 - Kanyaliwadi Village. Buffer Zone : Along the transportation road 5. A6 - Near NIMCO Gate - Turawadi, Redi village 6. A7 - Near Primary School - sakalhatwadi Redi village The latest results of the Air Quality Monitoring for the period from October 2024 to March 2025 are enclosed under Annexure 2. The results of the fugitive emissions are within the permissible limits as per the prescribed standards as per the GSR 809(E) dated 04.10.2010, Environment Protection Rules 1986. The results of the Ambient Air Quality Monitoring show that all the parameters are well within the limits prescribed for NAAQ Standards 2009.</p> <p>Complied 27-05-2025 Attachment: <a href="#">Click to View</a></p>
4	Statutory compliance	iv. Primary survey of flora and fauna shall be carried out and data shall be submitted to the Regional Office of the Ministry within six months.	PPs Submission	<p>The Primary survey of flora and fauna was carried out and the report was submitted to the Ministry, as part of the Half Yearly Compliance Report submitted vide our letter dated 25.06.2011.</p> <p>Complied 13-05-2025 Attachment:NA</p>
5	Statutory compliance	v. Conservation Plan for wildlife shall be prepared in consultation with the Chief Wild Life Warden and implemented. The plan shall consist of in built monitoring and evaluation mechanism. Necessary fund for implementation of the same shall be separately allocated and shall not be diverted for any other activity.	PPs Submission	<p>The Conservation Plan for wildlife (Flora and Fauna) has been prepared in consultation with the Chief Wildlife Warden, Deputy Conservator of Forests (Dy.CF) (Wildlife) and has been implemented. The copy of the said Management Plan was submitted to the office of the DCF, Sawantwadi Division, District Sindhudurg, Maharashtra vide letter dated 04.08.2010 and was also submitted to the MoEF as part of the Half Yearly Compliance Report submitted vide our letter dated 25.06.2011. The Conservation plan consists of creation of green belt, raising of plantation over rejection dumps and avenue plantation in and around the Redi Iron Ore Mine. The said Management Plan also consists of Eco development activities, organic farming, raising of medicinal plantation and awareness generation. The mechanism for in built monitoring of flora and fauna for the proper survival and establishment forms the part of the said Conservation Plan. The Management plan is being implemented in consultation with the Forest Department and the experts in biodiversity. The necessary funds are allocated for implementation of the Conservation Plan is separately allocated and not diverted for any other activity. As stated in the management plan for conservation of wildlife (flora and fauna) duly submitted to the DFO, Sawantwadi, the plan is implemented by consulting the local forest and agriculture departments. The officials of the forest and agricultural departments visited the Mines regularly, to check the plantation and guide us on offereare and survival of the plants.</p> <p>Complied 13-05-2025 Attachment:NA</p>
6	Statutory compliance	vi. No two Pits shall be simultaneously worked. After exhausting the first mine pit and before starting mining operations in the next pit, reclamation and plantation works in the exhausted pit shall be completed so as to ensure that reclamation, forest cover and vegetation are visible during the first year of mining operations in the next pit. This process shall be followed till the last pit is exhausted. Adequate rehabilitation of mined pit shall be completed before any new ore body is worked.	PPs Submission	<p>There are no two working pits within the Mining Lease. Pursuant to the grant of EC dated 22.04.2010, the Lessee has worked and continued to work only one pit, namely pit no. 203. As the mineral in the present working pit is not exhausted, the backfilling and reclamation of the pit cannot be done. There is an old pit (Mauli Pit over 3.5 ha) within the Mining Lease area which was worked prior to 1990. There are no operations in this old pit as this pit falls under the CRZ area and is located around 1 km away from the working pit. The said Mauli pit is reclaimed and currently it is a water reservoir and water from this reservoir is used for irrigation by the villagers. Plantation has been undertaken on the periphery of the pit as well as on the benches to stabilize the said pit. At present, there are trees with an average age span of 18 to 20 years which itself reflects that mining has been suspended in the said pit for a long time. The photograph of the working pit and reclaimed non-working pit is attached as Annexure 3.</p> <p>Complied 13-05-2025 Attachment: <a href="#">Click to View</a></p>
7	WATER QUALITY MONITORING AND PRESERVATION	vii. The ground water quality shall be monitored regularly to check ingress of sea water by having observation wells around the ML area along the seacoast.	PPs Submission	<p>The Lessee has established 6 nos. of ground water quality monitoring stations. Out of these 6 stations, 3 stations are along the seacoast. The monitoring is being carried out as per the MoEFCC /CPCB guidelines and through the external MoEFCC recognized and NABL accredited laboratory, Mineral Engineering Services, Bellari. The copies of the latest Ground water and Surface Water Quality monitoring conducted during the month October 2024 to March 2025 is enclosed as Annexure 4. There is no ground water contamination or ingress of sea water is observed. The hydrogeological studies are conducted through the National Institute of Hydrology (NIH, under the Ministry of Jalshakti) and also through the CGWA accredited consultant. The recommendations laid in these studies are complied. As per the findings of the hydrogeological studies: - i. There is no sea water intrusion as observed through water quality parameters. ii. From the preliminary investigation it is found that there is no direct impact on water levels and groundwater quality due to mining. iii. The estimation of seawater intrusion using Ghyben-Herzberg formula indicated that there is no intrusion of seawater in the study area upto 400m to 500m. iv. From the conceptual modeling. It is understood that there is no threat of contamination under defined hydrological conditions. Thus, with all these technical studies and regular well water quality analysis reports, is concluded that there is no impact of mining activities on the ambient groundwater regime.</p> <p>Complied 13-05-2025 Attachment: <a href="#">Click to View</a></p>
8	WATER QUALITY MONITORING AND PRESERVATION	viii. Monitoring of surface and ground water quality within 5.0 KM of the lease shall be regularly conducted and records maintained, and data submitted to the regional office of the Ministry regularly. Further, monitoring point shall be located between the mine and drainage in the direction of flow of ground water and record maintained.	PPs Submission	<p>Regular monitoring of surface and ground water within 5 Km of lease area is conducted. The Lessee has established 6 nos. of ground water quality and 4 nos. of surface water quality monitoring stations. The selection of the monitoring station is done considering the mine and drainage in the direction of flow of ground water. Out of these 6 ground water locations and 4 surface water locations, 2 wells and 3 surface water sources are located between mine and drainage in the direction of the flow of ground water. Ground water and Surface Water Quality Monitoring reports conducted during from October 2024 to March 2025. The reports are regularly submitted to the MoEFCC, its Regional Office, Maharashtra Pollution Control Board and Central Pollution Control Board as a part of Half yearly EC Compliance. The copies of the latest Surface and Ground water Quality monitoring conducted from October 2024 to March 2025 is enclosed as Annexure 4. As per the analysis reports, the parameters are within the prescribed permissible limits. In addition to this, to comply with the conditions stipulated in NOC granted by CGWB, the Lessee has identified and established network of 34 Open Wells located in and around of Redi Iron Ore mine (10 km radius area as buffer zone ) and are being monitored for quality as well as water level regularly.</p> <p>Complied 13-05-2025 Attachment: <a href="#">Click to View</a></p>



				Attachment: <a href="#">CLICK TO VIEW</a>
9	AIR QUALITY MONITORING AND PRESERVATION	ix. Data on ambient air quality (PM10, SO2, NOx) should be regularly submitted to the ministry including its Regional office located at Bangalore and the State Pollution Control Board /central pollution Control Board once in six months. The critical parameters such as PM10/PM2.5, NOx in the ambient air within the impact zone, peak particle velocity at 300m distance or within the nearest habitation, whichever is closer shall be monitored for water quality (TDS, DO, pH) and total suspended solids (TSS). The monitored data shall be uploaded on the website of the company as well as displayed on a display board at the project site at a suitable location near the main gate of the company in public domain. The circular no.J-20012/1/2006-IA.II(M) dated 2.5.2009 issued by the Ministry shall also be referred in this regard for its compliance.	PPs Submission	Ambient air quality data is monitored regularly by recognized environmental laboratory. The environmental monitoring reports are submitted to state pollution control board, Central pollution control board and regional office of MoEFCC in every six months as part of EC compliance reports. The monitoring stations are selected for the fugitive dust emissions considering the sources of emissions, e.g., excavation, dumping, hauling, loading, unloading and screening activities. The locations for Ambient Air Quality monitoring are selected considering the topography, meteorology and human settlements. The environmental monitoring is carried out by the external agency which is also a MoEFCC accredited laboratory. Environmental Monitoring data is displayed on a display board at mines site so as to be available for public view. Circular No. J-20012/1/2006-IA. II(M) dated 02.05.2009 issued by MoEFCC is also complied. Also, the monitored data is displayed on the website of the Company. Complied 13-05-2025 Attachment:NA
10	MINING PLAN	x. Trenches/garland drains shall be constructed at foot of dumps and coco filters installed at regular intervals to arrest silt from being carried to water bodies. Adequate number of check dams and gully plugs shall be constructed across seasonal/ perennial nallah (if any) flowing through the ML area and silts arrested. De-silting at regular intervals shall be carried out.	PPs Submission	Well-developed drainage and silt retention system is developed. Garland Drains / trenches are constructed at the toe of the dumps, which are channelized to the Settling ponds. The coco filters are placed at places to trap the fine particles/silt. All the runoff from dumps as well as surface is channelized to the open pit through these drains and trenches. The mine is not worked in the monsoon period. Thus, pit acts as rain water harvesting structure during the monsoon. The accumulation of runoff water also provides adequate retention time to settle the silt material. Series of silt retention ponds are constructed wherein discharged water is treated by lime and flocculants-Magnafloc to accelerate the silt settling rate. These silt retention ponds are desilted before onset of the monsoon. Drainages are also cleaned and maintained properly. The record of the construction of such protective measures is maintained. The Photographs on Environmental Protective measures enclosed as, Annexure 1. An adequate number of check dams and gully plugs are constructed; the details are given in the compliance of condition no. xii. There are no seasonal/perennial nallah within the mining lease area. Complied 27-05-2025 Attachment: <a href="#">Click to View</a>
11	WASTE MANAGEMENT	xii. Measures for prevention and control of soil erosion and management of silt shall be undertaken. Protection of dumps against erosion shall be carried out with geo textile matting or other suitable material, and thick plantations of native trees and shrubs shall be carried out at the dump slopes. Dumps shall be protected by retaining walls.	PPs Submission	Mitigation measures for prevention and control of soil erosion and management of silt from the runoff water is taken up by providing trenches/garland drains of appropriate size, gradient, and length at foot of dumps. Series of silt retention ponds are constructed wherein discharged water is treated by lime and flocculants-Magna flocc to accelerate the silt settling rate further, to control the wash-off retention walls, embankments are provided with the coco-filters to trap the fine particles/silt. Desilting of drains and settling ponds is done before the monsoon and at regular intervals. The matured dumps are appropriately vegetated to control the surface runoff. The dumps are initially covered with geotextiles and leguminous grass seeds are broadcasted over these dumps as to increase the soil fertility and to control the soil erosion. Grass seeds of Stylnanthus hamata are spread over these dead dumps covered with geotextile. At some places embankments of the dead dumps are planted with vetiver grass slips. A. Afforestation: - i. The Lessee has done plantation of 1,47,535 no. of saplings (till 2024-25) over the dump slopes and old mining pits. There is well-grown thick plantation of mixed varieties of species on dump slopes covering the Fruit bearing species which includes Cashew, Mango, Tamarind, Jamrun, Cocum, Guava, Awla, Badam and forestry species includes Terminalia, Arjuna, Sawar, Moringa, Bamboo etc. During the period October 2024 to March 2025, the total 500 number of plantations were done, total of 14163 number of plantations were done for the year April2024 to March 2025. The seeds of Stylnanthus hamata have been used over the geotextile for the well stabilisation as well soil amendment. ii. The old and non-working pit (Mauli Pit) which falls under CRZ, which is well rehabilitated and stabilized with thickly grown plantation. The vegetation grown up here is approximately of 19-21 years of age as on today. The plants like Casuarina (Suru, Australian Acacia) though have established well with a good binding capacity and help to control soil erosion as well as improve the dump stability. iii. The aftercare including watering and manuring is regularly done for the survival of the plants. B. Application of Geotextile: - i. Application of Geotextile is practiced typically prior to the monsoon in this area as to stabilize the dead dumps and control the soil erosion due to rain water. ii. The dump slopes were covered with the Geotextile at different places. The approximate area covered under Geotextile is 6000 Sq. Meter during the year April 24 to March 2025. The year wise display boards are placed on such sites, which were covered with Geotextile. iii. The leguminous grass seeds are broadcasted on geotextile cover for the stabilization. iv. At appropriate locations, the dump slopes within the Mining Lease are temporarily covered with silpaulin to control the soil erosion. v. The Mineral stacks are temporarily covered with Silpaulin to control the soil erosion. vi. Top berches in the eastern side of the Mining Pit is covered with Silpaulin to control the wash-off. C. Retaining Wall: - i. The well-built retaining wall of size 1m height and 1.5m width is constructed at the toe of the dump. The total length of retaining wall is 2.2Km. ii. The laterite bund/embankment is constructed at the toe of the dumps of a total length 197 m(April 24 to March 2025) D. Garland drains: i. The garland drains are provided at the toe of the dumps and along the berches and haul roads. ii. Garland drains at appropriate places are covered with silpaulin to protect the soil erosion. iii. The length of the garland drains constructed at various locations within the Mine lease, put together is approximately 4800 m(April 24 to March 2025) E. Check Dams: - i. The 2 no. of check dams along the trenches constructed at the toe of the dumps. F. Settling Ponds and Silt Arrestors: - i. 8 nos. of settling ponds with the total capacity of 10475, m3 constructed at mines. Some of the settling ponds have been protected with stone pitching with concrete. The series of silt arrestors are constructed next to the settling ponds. The coco filters are placed all along the silt arrestors to trap the fine particles. The photographs showing the plantation and other protective measures undertaken by the Lessee is enclosed as Annexure 1. Complied 27-05-2025 Attachment: <a href="#">Click to View</a>
12	WATER QUALITY MONITORING AND PRESERVATION	xiii. Rain water harvesting shall be undertaken to recharge the ground water source. Status of implementation shall be submitted to the Ministry within six month	PPs Submission	Rain water harvesting has been undertaken to recharge the ground water source. Majority of the surface runoffs and dump runoffs are diverted to the open pit through drainages and trenches. The Pit itself acts as a big rain water harvesting structure. The accumulated water is used during the fair season by the villagers for the agriculture and other domestic purpose. As a part of continual improvement and as per recommendations in the hydrogeological report, we have planned and executed the Rain Water Harvesting considering the catchment area and in addition to this we have also undertaken the rooftop rain water harvesting. We have submitted the status of implementation on rain water harvesting to the Ministry within six months of grant of EC as a part of Half yearly EC compliance report dated 26.12.2010. The detailed report on Rain Water Harvesting structures implemented is enclosed as Annexure 5. Complied 22-05-2025 Attachment: <a href="#">Click to View</a>



13	Statutory compliance	xiv. Land use pattern of the nearby villages shall be studied, including identification of common property resources available for conservation into productive land. Action plan for abatement and compensation for damage to agriculture land / common property land (f any) in the nearby villages, due to mining activity shall be submitted to the Regional office of the ministry within six months before start of mining. Annual status of implementation of the plan and expenditure thereon shall be reported to the regional office of the ministry.	PFs Submission	The study on the land use pattern of the nearby villages was conducted and the Action Plan for abatement and compensation for damage to agriculture land/common property land due to mining activity to the Ministry is prepared and submitted vide letter dated 15.06.2011. As per the study, the nearest village is Redi Village, located at a distance of 500m from the Mining Lease. The crops generally grown in this village are cashew, coconut, mango, jack fruit and paddy. The crops here are seasonal and entirely depends on monsoon. Also, the horticulture plantations of cashew, coconut, mango in and around the Mining Lease depend on the irrigation provided by the Lessee. The rainwater harvested in the working pit and old Non-working pit during the monsoon is supplied to the farmers as per the requirement. The supply, repair and maintenance of the pipeline is entirely borne by the Lessee. The Lessee supply the water for irrigation purpose to the Redi Village covering Mhartalewadi, Nagolewadi, Bomdojchiwadi, Kanyalwadi, Tiwarewadi, Hudawadi etc. As on today, approximately 350 Acre area is under irrigation provided by the Lessee. Lessee has provided the sprinklers system to the farmers in the Kanyal village on their request. The Annual status of implementation of the plan and expenditure for the Financial year 2023-24 is reported to the regional office of the ministry vide our email dated 28.11.2024. Complied 13-05-2025 Attachment:NA
14	MISCELLANEOUS	xv. Need based assessment for the nearby villages shall be conducted to study economic measures which can help in upliftment of poor sections of the area. Income generating projects consistent with the traditional skills of the people besides development of fodder farm, fruit bearing orchards, vocational training etc. can form a part of such programme. Company shall provide separate budget for community development activities and income generating programmes. This will be in addition to vocational training for individuals imparted to take up self-employment and jobs.	PFs Submission	Need based assessment of nearest two villages is conducted to study economic measures which can help in upliftment of poor section of society was undertaken. The copy of the said report was submitted as part of Half Yearly EC compliance report dated 25.06.2011. Computer Literacy being the need of the hour and to educate the village youth (unemployed, the school dropouts and the housewives), the Computer Training Centers is being run at Redi Village by the Company and 780 villagers got benefit and have been trained in MS-CIT program. The teacher appointed here to train the students is native of the Redi Village. Besides, we have hired the place for the Training center in Redi Village, thereby generating earnings to the villager. Assistance given to school students by providing uniforms, school bags, notebooks etc. The Lessee extended financial support to construct and establish infrastructure to a local college in the village Shiroda. Like, Computer Training Institute, we have also started the Music school to boost the interest of the youths in Indian Music. Tabla and Harmonium playing is being taught to the students here free of cost. Till date 80 villagers got benefitted with our training classes. The Music teacher appointed is also the resident of the Redi Village. On understanding the need of the students in the village a teacher is engaged who gives the lessons to the needy students in the subjects like Maths and Science and more than 300 students get benefit with this training. The dedicated doctor is appointed in the Redi Village and free medicines are given. The ambulance is in service of the villagers 24X7. Water as a lifeline and understanding the need of the hour we have completed one Water Supply Project dedicated to the village of Redi with the construction of a Reverse Osmosis water treatment plant; with the delivery capacity of 12,00,000 litres of water per day. The plant in the Shree Devi Mauli Water Supply Scheme, named after the local goddess. The scheme supply water to 1350 houses in the village of Redi. The entire cost of the water treatment is borne by the lessee. We supply the water to the villagers for agriculture purpose and we cover about 350-acre land under irrigation including the nearby villages like Mhartalewadi, Kanyalwadi and Gavtalewadi. Paddy, Chilies and Coconut, Arec nut, Mango plantation survive with our water supply. Many villagers are forming the fallow land with the availability of water made by the Company. The details on CSR activities undertaken and expenditure incurred towards it is enclosed under Annexure 6. Complied 22-05-2025 Attachment: <a href="#">Click to View</a>
15	MISCELLANEOUS	xvi. Maintenance of village roads through which transportation of ore are undertaken shall be carried out by the company regularly at its own expenses. The roads shall be black topped	PFs Submission	The company regularly maintains the village roads used for the transportation of ore. Complied 13-05-2025 Attachment:NA
16	Human Health Environment	xvii. Occupational health and safety measures for the workers including identification of work-related health hazards, training on malaria eradication, HIV and health effects on exposure to mineral dust etc. shall be carried out. The company shall engage a full-time qualified doctor who is trained in occupational health. Periodic monitoring for exposure to respirable minerals dust on the workers shall be conducted and records maintained including health records of the workers. Awareness programme for workers on impact of mining on their health and precautionary measures like use of personal equipment etc. shall be carried out periodically. Review of impact of various health measures undertaken (at interval of five years or less) shall be conducted followed by follow up action wherever required.	PFs Submission	A well implemented Risk Management Plan is in place to identify possible sources of dangers that may affect the Health and Safety of persons employed in the mine, and also to take precautions against the dangers in a proactive manner. Awareness training on malaria eradication, HIV and training with respect to safety precautions against Health Hazards are provided at VTC constituted under Mines Vocational Training Rules 1966. We also organized a 100-day campaign for the elimination of tuberculosis (TB), which included awareness sessions and lectures on TB prevention and control conducted by Dr. Pradip Shetkar MBBS, DGO, for all staff members of our company. To further enhance health and safety measures, the company has established a dispensary in close proximity to the mine site. A qualified Doctor is stationed at this dispensary, ensuring round-the-clock availability for medical treatment. Mine workers receive regular health check-ups at this dispensary, which are conducted by the appointed doctor. In addition, health camps are organized in nearby villages. Workers are sent for initial and periodic medical examinations according to Rule 29(B) of the Mines Rules, 1955 and undergo periodic monitoring for exposure to respirable mineral dust, among other hazards. Records, including the health data of the workers, are maintained. The impact of health measures is reviewed every five years for workers under 45 years old and every three years for those over 45. Follow-up actions are taken by trained doctors in Occupational Health Surveillance Training and Awareness programs. These programs cover topics such as the impact of mining on health and the necessary precautions workers should take while on the job. They also include first aid training and the use of personal protective equipment (PPE), such as ear plugs, dust masks, and goggles. PPE is provided to the mine workers to ensure their safety. Complied 22-05-2025 Attachment:NA
17	Human Health Environment	xviii. Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transportation of ores and others shall have valid permissions under Central Motor Vehicle Rules, 1989 and its amendment. The number of shift of mine operations could be as prescribed in the approved mining plan. However, the number of shifts or hours permissible for external vehicular traffic shall not exceed the limit in vogue for the area under consideration or in the event of passage through forest roads or public places, as may be applicable in this case. The limits prescribed by the local authorities shall not be exceeded. If no such guidelines for time restrictions are applicable, then external transport shall be preferably confined to two shifts.	PFs Submission	The vehicular emission is kept under control by regular maintenance of the vehicles, and is regularly monitored. Vehicles used for transportation of ores and others have valid PUC certificate as prescribed under Central Motor Vehicle Rules, 1989 and its amendment. Mine operation is as per the approved mining plan of Indian Bureau of Mines. The transportation of ore is done only during daytime. The suitably covered trucks are only used for transportation so that no dust/fine particles escape during the transportation. No overloading of transportation of trucks is allowed. Speed limits are adhered to these vehicles and the transport roads are maintained properly. The trucks transporting ore do not pass through any wild life sanctuary or forest. Complied 13-05-2025 Attachment:NA



18	GREENBELT	xxi. Green belt development and selection of plant species shall be as per CPCB guidelines. Herbs and shrubs shall also form a part of afforestation programme besides tree plantation. Details of year wise afforestation programme including rehabilitation of mined out area shall be submitted to the Ministry within six months.	PPs Submission	Plantation is carried out as per CPCB guidelines. All plantation activities are taken during monsoon period only. The local species including fruit bearing species are given more preference in plantation program. Sustained scientific post plantation care such as regular manuring and other improvised practices will be adopted for maximum survival of the plant. i. The Lessee has done 1,33,352 no. of saplings (till 2023-24) over the dump slopes and old mining pits. There is well-grown thick plantation of mixed varieties of species on dump slopes covering the fruit bearing species which includes Cashew, Mango, Tamarind, Jamun, Cocum, Guava, Awla, Badam and forestry species includes Terminalia, Arguna, Sawar, Moringa, Bamboo etc. During April 2024 to March 2025 period 14183 saplings have been planted covering the dumps and gap filling. The seeds of Styranthus hamata have been used over the geotextile for the well stabilisation as well soil amendment. ii. The old mine pit (Mauil Pit) which falls under CRZ is covered with well grown and thick plantation along its periphery composed of Terminalia, Casuarina, Bhandi, Tamrind and Acacia and has been kept as water reservoir. Considering the overall growth and the maximum height attained by the trees of 25-30m, it is understood that the tree cover is of the age of almost 19 to 21 yrs old. The details on plantation are regularly submitted to MOEFCC, its regional office and also to the Maharashtra State Pollution Control Board as a part of EC compliance, enclosed under Annexure T. Complied 22-05-2025 Attachment: <a href="#">Click to View</a>
19	Human Health Environment	Provision shall be made for housing the labourers within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche, etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	PPs Submission	Most of the employees are from local village only and hence no need for accommodation facilities. However, we have provided few bachelors accommodation (infrastructure) within the Mining Lease with canteen facility, toilets, safe drinking water and medical health care. Complied 13-05-2025 Attachment: NA
20	WASTE MANAGEMENT	xi. The company shall ensure that no silt originating due to mining activity is transported in the surface water course (if any) flowing in the area. Proper drainage of the waste dump shall be provided to prevent siltation of downstream water bodies. The dumps per se shall be drained and surface of the dump should be properly vegetated.	PPs Submission	There is no surface water body within the Mining Lease area. Mitigation measures for prevention and control of soil erosion and management of silt from the runoff water is taken up by providing trenches/garland drains of appropriate size, gradient and length at foot of dumps. Series of silt retention ponds are constructed wherein discharged water is treated by lime and flocculants-Magnasol to accelerate the silt settling rate, further, to control the wash-off retention walls, embankments are provided with the coco filters to trap the fine particles/silt. Desilting of drains and settling ponds is done before the monsoon end at regular intervals. The matured dumps are appropriately vegetated to control the surface runoff. The dumps are initially covered with geotextiles and leguminous grass seeds are broadcasted over these dumps as to increase the soil fertility and to control the soil erosion. Thus, stabilized dumps are further brought under plantation with local species. During the period October 2024 to March 2025, the total 500 number of plantations were done, total of 14183 number of plantations were done for the year April 2024 to March 2025. The Photographs on Environmental Protective measures enclosed as Annexure-1. Complied 13-05-2025 Attachment: <a href="#">Click to View</a>

#### General Conditions

Sr.No.	Condition Heading	Condition Details	Status of Compliance. Remarks / Reason and Supporting Documents	
1	MINING PLAN	i. No change in mining technology and scope of working shall be made without prior approval of the MOEF.	PPs Submission	No change in Mining technology and scope of working will be made without prior approval of MOEF. Complied 13-05-2025 Attachment: NA
2	MINING PLAN	ii. No change in the calendar Plan including excavation, quantum of mineral and waste shall be made.	PPs Submission	No change in calendar plan including excavation, quantum of mineral and waste will be made. The Mining activities are carried out as per the approved Modified Mining Plan. Complied 13-05-2025 Attachment: NA
3	MINING PLAN	iii. Fugitive dust emissions from all the sources shall be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points shall be provided & properly maintained.	PPs Submission	Fugitive dust emissions are controlled by regular water sprinkling on haul roads, loading, unloading points and transportation of minerals, etc. For the dust suppression three water tankers having 8KL capacity are engaged and such provision are provided and properly maintained on a regular basis. We also use NEVIS Dust Suppression Systems, developed by Nevis, based in Italy, for the air borne dust control, and which is used at mineral stacks, dumps, and haulage roads. The system is based on Water Mist Technology (WMT) where it produces atomic water drops which combine with airborne dust to help it settle. Overloading of ore transport trucks is avoided to prevent spillage of ore on the roads. Fugitive dust emissions are regularly monitored. Complied 13-05-2025 Attachment: NA
4	AIR QUALITY MONITORING AND PRESERVATION	iv. Four Ambient air quality stations shall be established in the core zone as well as in the buffer zone for PM10, SO2, NOX monitoring. Locations of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the state Pollution Control Board.	PPs Submission	Ambient air quality monitoring is carried out as per the MoEFCC/CPCB guidelines and results are compared with the NAAQ Standards. Total 8 no. of ambient air quality monitoring stations-4 numbers of stations in core and 4 numbers of stations in buffer zone (10 KM radius area taking mining lease as center) are selected in consultation with State Pollution Control Board considering the meteorological data, topographical features and environmental and ecological sensitive targets like nearest human habitations and primary school located near to the Mining Lease. Parameters selected for monitoring are as per the NAAQ standards. All the locations of these monitoring stations are based on meteorological data and topographical features of the area. The frequency of monitoring undertaken is in consultation with the State Pollution Control Board. Complied 13-05-2025 Attachment: NA
5	Noise Monitoring & Prevention	v. Measures shall be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operations of HEMM etc, shall be provided with ear plugs/muffs.	PPs Submission	To check the noise level during operations of heavy earth moving machinery, noise level monitoring is carried out in both idle and working conditions of the machinery. All the measures are taken to keep the noise level below 85 dBA in the work environment. Workers and Operators engaged in operations of Heavy Earth Moving Machinery are provided with ear plugs / muffs. Reports are attached as Annexure -14. Complied 13-05-2025 Attachment: <a href="#">Click to View</a>



6	WASTE MANAGEMENT	vi. Industrial waste water (workshop and waste water from the mine) should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May 1993 and 31st Dec, 1993 or as amended from time to time. Oil and grease trap shall be installed before discharge of workshop effluent.	PFs Submission	<p>There is no waste water generation in lease area. The monsoon water from the dumps and other areas is channelized into the pit. This accumulated water is discharged out and made to pass through series of settling ponds and drainage channels. Lime is added to increase the silt-setting rate. Also, the walls of the retaining walls are lined with coco filter which traps the fine particles from the water. This results into a clear water discharge. Water quality monitoring is carried out as per the MoEF / CPCB guidelines. It is ensured that the Discharged pit water meets the standard as per GSR 422(E) dated 19th May, 1993 and 31st December 1993 or as amended from time to time. The Oil and Grease trap, also termed as Eco-tank is constructed wherein the wash water from the washing ramp of the machinery is treated and recycled for the washing purpose. The Photograph of the Eco-tank in operation are enclosed as Annexure B. Used oil is collected and stored separately and is sold to registered / authorized recyclers. The recent disposal of used oil is done through an authorized recycler on date 31.03.2025.</p> <p>Complied 13-05-2025 Attachment: <a href="#">Click to View</a></p>
7	Human Health Environment	vii. Personnel working in dusty area shall be provided with protective respiratory devices and they shall also be imparted adequate training and information on safety and health aspects	PFs Submission	<p>All necessary Personal Protective Equipment (PPE) such as safety shoes, safety helmets, dust masks, ear plugs, fluorescent jackets, lifeguards, safety goggles, safety gloves, etc. are provided to the workers employed in the Mine as per the Mines Act, 1952. Personal Dust Sample Survey as per the Directorate General of Mines Safety (DGMS) guidelines is carried out and the results are found well within the limits as per the DGMS standards. The recent reports of the Personal Dust Survey conducted for the month of January-2025 have been enclosed as Annexure-9. It should be considered that in the said area humidity is high being the coastal proximity. Therefore, there is no as such dust generated during the Mining activities as the working is carried out below the water table and high moisture content of the ore as well as rejection. 100-Day Campaign on Tuberculosis (TB) Awareness and Prevention Under the guidance of the Indian Bureau of Mines, and as part of our CSR and employee health programs, M/s Gogte Minerals organized a 100-day campaign to help eliminate tuberculosis (TB). The main goal of this campaign was to raise awareness, educate our staff, and promote healthy practices at the workplace. One of the main parts of the campaign was a series of awareness sessions and talks on how to prevent and control TB. These sessions were led by Dr. Pradip Shekar, a well-known doctor who specializes in infectious diseases. He shared useful information about what causes TB, its symptoms, how it spreads, and how to prevent it. In response to a request from the government PHC doctor, we provided food grains to TB patients. Photographs of the 100-Day Campaign on Tuberculosis (TB) Awareness and Prevention, as mentioned above, are enclosed as Annexure 10.</p> <p>Complied 22-05-2025 Attachment: <a href="#">Click to View</a></p>
8	Statutory compliance	viii. A separate Environmental Management Cell with suitable qualified personnel shall be set-up under the control of a Senior Executive, who will report directly to the head of the organisation.	PFs Submission	<p>A separate Environment Management Cell, with qualified environment persons is formed under the control of head of the organization. Meetings are conducted periodically in which the environmental issues are discussed, reviewed and addressed. The detailed environmental cell chart detailing the qualifications of the executives is laid down and enclosed under the Annexure 11.</p> <p>Complied 26-05-2025 Attachment: <a href="#">Click to View</a></p>
9	Statutory compliance	ix. The project authorities shall inform to the Regional Office of the ministry located at Bhopal regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	PFs Submission	<p>Mining operation commenced from July 2010 and the same has been intimated to the then regional office located at Bhopal. The Progressive Mine Closure Plan is prepared, approved and is being implemented. The Final Mine Closure Plan will be prepared well in advance of the Mine Closure and will be intimated to the Ministry. Funds for the project were utilized from internal sources only.</p> <p>Complied 13-05-2025 Attachment: NA</p>
10	Corporate Environmental Responsibility	x. The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year-wise expenditure shall be reported to the ministry and its regional office located at Bhopal.	PFs Submission	<p>The funds earmarked for environmental protection measures are kept in separate account and not diverted for other purposes. The year wise Expenditure incurred towards the protection of the environment is reported to the MoEFCC and its regional office as a part of Half Yearly EC Compliance report time to time. The copy of the statement on expenditure towards the environmental protection for the present compliance period, i.e., from 01st October 2024 to 31st March 2025 is enclosed under Annexure 12.</p> <p>Complied 22-05-2025 Attachment: <a href="#">Click to View</a></p>
11	Statutory compliance	xi. The project authorities shall inform to the regional Office of the ministry located at Bhopal regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	PFs Submission	<p>Mining operation commenced from July 2010 and the same has been intimated to the then regional office of MoEFCC, located at Bhopal. The Progressive Mine Closure Plan is prepared, approved and is being implemented. The Final Mine Closure Plan will be prepared well in advance of the Mine Closure and will be intimated to the Ministry. Funds for the project were utilized from internal sources only.</p> <p>Complied 13-05-2025 Attachment: NA</p>
12	Statutory compliance	xii. The regional office of the ministry located at Bhopal shall monitor compliance of the stipulated conditions. The project authorities shall extend full cooperation to the officers of the regional office by furnishing the requisite data / information / monitoring reports.	PFs Submission	<p>The said mine is being monitored by the Regional Office, Bhopal (now it is Nagpur). We extend full cooperation to the officer(s) of the Regional Office by furnishing the requisite data / information / monitoring reports. The Mine was inspected in the recent past by the Scientist D, Regional Office, MoEFCC, Nagpur, on 18.02.2020. We have provided all the relevant data/information and monitoring reports to the Authority during their visits.</p> <p>Complied 13-05-2025 Attachment: NA</p>
13	Statutory compliance	xiii. The project proponent shall submit six monthly report on the status of the implementation of the stipulated environmental safeguards to the MoEF, its regional office Bhopal, CPCB and State Pollution Control Board. The project proponent shall upload the status of compliance of the Environment clearance condition on their website and upload the same periodically and simultaneously send by e-mail to the regional office of MoEF Bhopal.	PFs Submission	<p>The Project Proponent submit six monthly report on the status of the implementation of the stipulated environmental safeguards as a part of the Half yearly EC compliance Report to the MoEF, its regional office Bhopal (now it is Nagpur). CPCB and Maharashtra State Pollution Control Board time to time. The soft copy of the said report is sent to the regional office of MoEFCC Bhopal (now it is Nagpur) by e mail. The last half yearly Compliance report was submitted to the MoEFCC, New Delhi and its Regional Office, Nagpur, vide our letter dated 30/11/2024 for the period from April 2024 to September 2024.</p> <p>Complied 13-05-2025 Attachment: NA</p>

14	Statutory compliance	xiv. The project proponent shall advertise in at least two local newspapers widely circulated in the region around the project, one of which shall be in the vernacular language of the locality/office of the Municipal Corporation/Gram Panchayat concerned and on the company's website within seven days from the date of this clearance letter, informed that the project has been accorded environmental clearance and copies of clearance letter are available with the state pollution Control Board/committee and may also be seen at website of the MoEF at <a href="http://envfor.nic.in">http://envfor.nic.in</a>	PPs Submission	The Project Authorities have advertised in two widely circulated local newspaper, in vernacular language (Marathi)-"Sindhudurg Samachar" on 11th May, 2010 and in daily "Tarun Bharat" on 11th May, 2010 informing that the Project is been granted the environmental clearance within seven days from the date of grant of clearance. Copies of the advertisement are already submitted to the Ministry as a part of the Half Yearly Compliance report. Copy of the Environmental Clearance letter is also available with the Maharashtra State Pollution Control Board and also on the website of the MoEF, i.e., <a href="http://www.envfor.nic.in">www.envfor.nic.in</a> . Complied 13-05-2025 Attachment:NA
15	Statutory compliance	xv. A copy of clearance letter will be marked to concerned Panchayat / local NGO, if any, from whom suggestion / representation has been received while processing the proposal. The clearance letter shall also be put on the website of the company.	PPs Submission	A copy of clearance letter is marked to Redi Village Panchayat. Complied 13-05-2025 Attachment:NA
16	MISCELLANEOUS	xvi. State pollution control board shall display a copy of the clearance letter at the Regional office, District Industrial center and collector's office / Tahsildar office for 30 days.	PPs Submission	This is under the jurisdiction of the Maharashtra State Pollution Control Board and action is taken by the Maharashtra State Pollution Control Board. Complied 13-05-2025 Attachment:NA
17	Statutory compliance	xvii. The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the state pollution control board as prescribed under the Environmental (Protection) Rules, 1986 as amended subsequently and shall also be put on the website of the company along with the status of compliance of environmental clearance conditions. The same shall also be sent to the Regional Office of the Ministry by e-mail.	PPs Submission	Environmental Statement in Form-V for the financial year is regularly submitted to the Maharashtra State Pollution Control Board and the copy of the same is submitted to the MoEF time to time. The copy of the recent Environmental Statement for the financial year 2023-24 is submitted online to the Maharashtra State Pollution Control Board and the copy is enclosed under Annexure-13. Copy of the Environmental Statement is forwarded to Regional Office MoEFCC, Nagpur as a part of half yearly EC Compliance Report by e-mail. Complied 13-05-2025 Attachment: <a href="#">Click to View</a>

#### Document uploaded by the PP

Last Site Visit Report (if available) NA

Last Site Visit Report Date (if available)

Additional Attachment (if any) NA

Additional Remarks (if any)

- ☒ I 'M/s. Gogte Minerals' hereby give undertaking that the data and information given in the filed compliance and enclosures are true to be best of my knowledge and belief and I am aware that if any part of the data and information found to be false or misleading at any stage, the clearance given to the project will be revoked at our risk and cost. In addition to above, I hereby give undertaking that no activity such as change in project layout, construction, expansion, etc. has been taken up without due approval.

#### Cover Letter From RO/SRO

Cover Letter From RO/SRO

Back